

# FOWX2.E356696 - FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT - COMPONENT

## Fixed Capacitors for Use in Electronic Equipment - Component

See General Information for Fixed Capacitors for Use in Electronic Equipment - Component


### JYH HSU (JEC) ELECTRONICS LTD

E356696

Lu Chong Bridge Side  
 Dao Hou Rd Cai Bai Country  
 Dao Jiao Town  
 Dongguan, Guangdong 511700 CHINA

### Fixed Capacitors

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (μF) (Tolerance)	Resistance		
				for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
JD Series	Y1/X1	400 Vac	from 10 pF to 4700 pF with tolerance K(+/-10%) and M(+/-20%)	—	-40	+85/+125
JY Series	Y2/X1	400Vac(X1) 300Vac(Y2)	from 10 pF to 10000 pF with tolerance K(+/-10%) and M(+/-20%)	—	-40	+85/+125
JD Series	Y1/X1	500/440/400Vac(X1) 500/440/400/250Vac(Y1)	from 10 pF to 10000 pF with tolerance K(+/-10%) and M(+/-20%)	—	-40	+125
JY Series	Y2/X1	500/440/400/300/250Vac(X1) 500/440/400/300/250Vac(Y2)	from 10 pF to 10000 pF with tolerance K(+/-10%) and M(+/-20%)	—	-40	+125/105
MPX	X2	310/305/ 300/275/250 ac	0.0022 to 2.2 (K: +/-10%)	—	-40	+110

Marking: Company name or trademark **JEC**  and type designation.

Cookies on UL

Last Updated on 2019-04-12

UL Product iQ™



# FOWX8.E356696 - FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT CERTIFIED FOR CANADA - COMPONENT

## Fixed Capacitors for Use in Electronic Equipment Certified for Canada - Component

See General Information for Fixed Capacitors for Use in Electronic Equipment Certified for Canada - Component

### JYH HSU (JEC) ELECTRONICS LTD

Lu Chong Bridge Side

Dao Hou Rd Cai Bai Country

Dao Jiao Town

Dongguan, Guangdong 511700 CHINA

E356696

### Fixed Capacitors

Type Dsg	Capacitor Class	Voltage Rating (V)	Capacitance (μF) (Tolerance)	Resistance		
				for RC Devices (ohms)	Lower Temp (°C)	Upper Temp (°C)
JD Series	Y1/X1	400 Vac	from 10 pF to 4700 pF with tolerance K(+/-10%) and M(+/-20%)	—	-40	+85/+125
JY Series	Y2/X1	400Vac(X1) 300Vac(Y2)	from 10 pF to 10000 pF with tolerance K(+/-10%) and M(+/-20%)	—	-40	+85/+125
JD Series	Y1/X1	500/440/400Vac(X1) 500/440/400/250Vac(Y1)	from 10 pF to 10000 pF with tolerance K(+/-10%) and M(+/-20%)	—	-40	+125
JY Series	Y2/X1	500/440/400/300/250Vac(X1) 500/440/400/300/250Vac(Y2)	from 10 pF to 10000 pF with tolerance K(+/-10%) and M(+/-20%)	—	-40	+125/105
MPX	X2	310/305/ 300/275/250 ac	0.0022 to 2.2 (K: +/-10%)	—	-40	+110

### Cookies on UL

Marking: Company name or trademark **JEC** type designation and the Recognized Component Mark for Canada

content and ads, to provide social

media features and to analyze

our traffic. We also share

information about your use of our

Last Updated on 2019-04-12